

Epizootic haemorrhagic disease

Clinical implications

Respiratory



- Haemorrhagic foci and petechiae in the larynx, trachea, and lungs.
- Areas of interstitial emphysema.
- Dyspnea and dry cough.

Digestive



- Lesions in the oral cavity: stomatitis, erosions...
- Ulcers, ruminitis.
- Malabsorption syndrome.

Reproductive




- Abortions.
- Malformations.
- Repeat heats.
- Deterioration of sperm quality.

Locomotor



- Chronic lameness.
- Separation of the horny envelope.
- Overgrowth of the hooves.



www.syva.es

Bibliography:

- Temizel, E. M., Yesilbag, K., Batten, C., Senturk, S., Maan, N. S., Mertens, P. P. C., & Batmaz, H. (2009). Epizootic Hemorrhagic Disease in Cattle, Western Turkey. *Emerging Infectious Diseases*, 15(2), 317-319.
- G. Villaceros et al. (2024). Formación continua - Abordaje práctico de la enfermedad hemorrágica epizootica en España (I). *Albéitar*, 266. 16-21.
- Enguita, Pineda et al. (2024). Claves para el diagnóstico clínico y anatomopatológico de la enfermedad hemorrágica epizootica (EHE) en el ganado vacuno en España: Boletín de ANEMBE, 143. 38-43. (<https://www.anembe.com/claves-para-el-diagnostico-clinico-y-anatomopatologico-de-la-enfermedad-hemorragica-epizootica-ehe-en-el-ganado-vacuno-en-espana-b-143-2024>)



ECONOMIC IMPACTS OF EHD (Epizootic Hemorrhagic Disease)

- Fewer weaned calves.
- Longer non-productive periods.
- Increased culling rates.
- Increased replacement rates.
- Decreased milk production.
- Increased mortality (1-5%).
- Movement restrictions on animals.
- Development of secondary pathologies.
- Increased treatment costs.
- Additional handling of animals.

WARNING SIGNS

- Fever.
- Anorexia.
- Ulcerative stomatitis.
- Edema of the eyelids.
- Respiratory difficulties.
- Nasal and ocular discharge.
- Redness and erosions on the muzzle and lips.
- Lameness.
- Mammary erythema.
- Difficulty swallowing.

DIAGNOSIS

Differential: BVD, IBR, BTV, vesicular stomatitis.

Laboratory:

- Virus detection by **PCR** from samples of viremic animals: blood, spleen, etc.
- Detection of **specific antibodies** against the VP7 protein: ELISA test, seroneutralization, complement fixation.